



1-First sign up from this website:

<https://rapidapi.com/auth/sign-up>




2-After the signup go to this api then click pricing

<https://rapidapi.com/microsoft-azure-org-microsoft-cognitive-services/api/microsoft-translator-text/>



3-Then subscribe to **BASIC** plan for free use. There is no charge for this plan no worries. There is no credit card required for this.




The screenshot shows the RapidAPI interface for the Microsoft Translator Text API. At the top, it displays the API name, provider (Microsoft Azure), and a 'FREEMIUM' badge. Metrics include a popularity score of 9.9/10, a latency of 792ms, and a service level of 98%. Below this is a 'Choose the Right Plan For You' section with a table of pricing options:

	Basic	Pro	Ultra	Mega
Objects	\$0.00 / mo	\$10.00 / mo	\$30.00 / mo	\$60.00 / mo
Characters	500,000 / month Hard Limit	1,000,000 / month Hard Limit	3,000,000 / month Hard Limit	6,000,000 / month Hard Limit
Rate Limit	1000 requests per hour			

A red arrow points to the 'Basic' plan's 'Subscribe' button. Below the pricing table is a 'Frequently Asked Questions' section with three questions: 'Is my payment information secure?', 'Why do you require a credit card for a freemium API?', and 'What if I exceed my plan limits?'. The final question is 'When will I be billed?'.

4-After you subscribe go to endpoints section.



The screenshot shows the 'Endpoints' section of the Microsoft Translator Text API page. A red arrow points to the 'Endpoints' tab. The main content area displays the configuration for the 'POST Break Sentence' endpoint. It includes a description: 'Identifies the position of sentence boundaries in a piece of text.' and a list of parameters:

- Request URL:** rapidapi.com (REQUIRED)
- Header Parameters:**
 - X-ClientTraceId:** A client-generated GUID to uniquely identify the request. Note that you can omit this header if you include the trace ID in the query string using a query parameter named ClientTraceId. (OPTIONAL)
 - X-RapidAPI-Key:** SIGN-UP-FOR-KEY (REQUIRED)
 - X-RapidAPI-Host:** microsoft-translator-text.p.rapidapi.com (REQUIRED)

On the right side, there is a 'Code Snippets' section with a 'Copy Code' button and a code editor containing an Axios request example:

```
const axios = require('axios');

const options = {
  method: 'POST',
  url: 'https://microsoft-translator-text.p.rapidapi.com/BreakSentence',
  params: {
    'api-version': '3.0'
  },
  headers: {
    'Content-Type': 'application/json',
    'X-RapidAPI-Key': 'SIGN-UP-FOR-KEY',
    'X-RapidAPI-Host': 'microsoft-translator-text.p.rapidapi.com'
  },
  data: [
    {
      Text: 'How are you? I am fine. What did you do today?'
    }
  ]
};

try {
  const response = await axios.request(options);
  console.log(response.data);
}
```

5-You should see your api key on the right side. Take your api key without quotes. Then paste it to the addon.

The screenshot shows the RapidAPI interface for the Microsoft Translator Text API. The 'X-RapidAPI-Key' field is set to 'SIGN-UP-FOR-KEY'. A red arrow points to the 'headers' section of the code snippet, which contains the key 'X-RapidAPI-Key: 'SIGN-UP-FOR-KEY''.

5.1-If you dont see your api key there then do this and choose your api key.After you choose api key should appear.

The screenshot shows the RapidAPI interface for the Microsoft Translator Text API. The 'X-RapidAPI-Key' field is set to 'SIGN-UP-FOR-KEY'. A red arrow points to the 'X-RapidAPI-Key' field, indicating the user should click it to see their key.